

**Your Partner in
Alumina Refining**

tysco / *Flow
Control*

ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ti-системс.рф

Телефоны для связи: +7 (495) 7774788, 7489626, 5007154, 55, 65

E-mail: info@tisys.ru info@tesec.ru info@ti-системс.рф

TYCO ALUMINA GROUP

A vital part of Alumina

A worldwide network of solution providers bring you over forty years of experience, research, development, design, manufacturing and service.


We work with site engineers, consultants and contractors to bring solutions to your process.

Our ability to provide and manage total project packages will save you time and money.

Actuation packages help to solve your health and safety issues.

We have developed dual cast wear resistant metals, metal finishes and elastomers for your abrasive and caustic environment.

Global sites
bringing Global services



Stafford, Texas USA
Anderson Greenwood Safety Relief



Reno, Nevada, USA
Clarkson Products



Houston , Texas USA
Keystone K-Lok Products



Lons-le-Saunier France
Klein Products



Perth Western Australia
Keystone Slurry Products



Brisbane, Queensland Australia
Lunkenheimer Products

KEYSTONE **Neotech** **CLARKSON**



UNKENHEIMER **Klein**



The Tyco Alumina Group has a package of proven product solutions for the alumina refining industry. We bring you the respected names of Lunkenheimer, Klein, Keystone, Morin, Clarkson, Sapag, Anderson Greenwood Crosby and Neotecha with their large installed base to provide a solution for every application. Our suitability matrix shows the valves that can be used on a variety of media. There is seldom a single solution, since pipe layout and space availability can affect the choice and the ever-increasing use of automation across the whole size range demands different solutions. Tyco manufactures a complete range of manual, electric, pneumatic and hydraulic actuator packages for our range of valve, which we continue to develop to reflect the changing requirements of health and safety. If there is an application you can rely on us to have the solution.

Tyco Alumina Group - a vital part of your plant.



Grupo de Alumina da Tyco oferece um pacote com uma série de produtos de comprovada eficiência para a industria de Alumina.

Composta de marcas reconhecidas como Lunkenheimer, Klein, Keystone, Morin, Clarkson, Sapag, Anderson Greenwood, Crosby e Neotecha com uma grande gama de produtos para cada aplicação.

Nossa matriz especifica as válvulas mais adequadas a serem utilizadas para cada tipo de fluido.

Raramente haverá somente apenas uma opção, tendo em vista que a disposição da tubulação e disponibilidade de espaço pode afetar a especificação dos produtos.

Ademas, o crescente aumento da automação e diversidade de espaço requerem diferentes soluções.

Tyco fabrica uma gama completa de atuadores manuais, elétricos, pneumáticos e hidráulicos para nossa serie de válvulas as quais são continuamente aprimoradas para atender os requisitos mais exigentes de saúde e segurança industrial.

Se houver uma aplicação voce pode confiar em nós para ter a solução.

Grupo de Alumina da Tyco uma parte vital de sua planta.



Le Groupe Alumine de TYCO, propose des produits qui ont fait leurs preuves dans l'industrie de production de l'alumine.

Nous vous donnons ci-après, les noms de Lunkenheimer, Klein, Keystone, Morin, Clarkson, Sapag, Anderson Greenwood Crosby et Neotecha, sociétés ayant des structures capables de fournir des solutions pour chaque application.

Notre tableau d'utilisation montre les vannes pouvant être utilisées sur une grande variété de fluides.

Il y a rarement une solution simple, puisque le tracé des tuyauteries et l'espace disponible peuvent affecter le choix et l'utilisation toujours croissante d'automatismes dans toute la gamme des dimensions, d'où la nécessité de proposer différentes solutions.

TYCO fabrique des séries complètes de commandes manuelles, d'actionneurs électriques, pneumatiques et hydrauliques,

pour toutes nos gammes de vannes, que nous continuons à développer pour tenir compte des besoins changeants liés à l'hygiène et la sécurité.

Si il y a un besoin, vous pouvez comptez sur nous pour vous trouver la solution.

Le Groupe Alumine TYCO - une partie essentielle de votre usine.



Η ομάδα αλουμίνιας Tyco έχει μια συσκευασία των αποδεδειγμένων λύσεων προϊόντων για τη βιομηχανία καθαρισμού αλουμίνιας. Σας φέρουμε τα σεβαστά ονόματα Lunkenheimer, Klein, βάση, Morin, Clarkson, Sapag, του Αντερσον greenwood Crosby και Neotecha με τη μεγάλη εγκατεστημένη βάση τους για να παρέχουμε μια λύση για κάθε εφαρμογή. Η μήτρα καταλληλότητάς μας παρουσιάζει ότι οι βαλβίδες που μπορούν να χρησιμοποιηθούν σε ποικιλά μέσα είναι εκεί στάνια μια ενιαία λύση, δεδομένου ότι το σχεδιάγραμμα σωλήνων και η διαστημική διαθεσιμότητα μπορούν να έχουν επιπτώσει στην επιλογή και η συνεχώς αυξανόμενη χρήση της αυτοματοποίησης πέρα από ολόκληρη τη σειρά μεγέθους απαιτεί τις διαφορετικές λύσεις. Οι κατασκευαστές Tyco μια πλήρης σειρά του χειρωνακτικού, ηλεκτρικού, πνευματικού και υδραυλικού ενεργοποιητή συσκευάζουν για τη σειρά βαλβίδας μας, την οποία συνεχίζουμε να αναπτύσσουμε για να απεικονίσουμε τις μεταβαλλόμενες απαιτήσεις της υγείας και της ασφάλειας εάν υπάρχει μια εφαρμογή μπορείτε να στηριχθείτε σε μας για να έχετε τη λύση.

Ομάδα αλουμίνια Tyco - ένα ζωτικής σημασίας μέρος των εγκαταστάσεών σας.

Tyco Alumina Group - Le ofrece un paquete con una serie de productos de comprobada eficacia para la industria de la refinería de aluminio.

Le brindamos las respectadas marcas Lunkenheimer, Klein, Keystone, Morin, Clarkson, Sapag, Anderson Greenwood, Crosby y Neotecha con sus amplias instalaciones para proveer una variedad de productos para cada aplicación.

Nuestra matriz indica las válvulas adecuadas para utilizarse en los diversos medios.

Raramente hay una sola opción, ya que la distribución de la cañería y la disponibilidad de espacio pueden afectar la elección.

Además el creciente uso de automatización a través de la variedad de tamaños requiere diferentes soluciones.

Tyco fabrica una selección muy completa de actuadores manuales, eléctricos, neumáticos e hidráulicos para nuestra serie de válvulas, las cuales estamos continuamente mejorando para reflejar los cambiantes requerimientos de la salud y seguridad industrial.

Puede confiar en nosotros ya que le traeremos lo mejor para cualquier aplicación.

Tyco Alumina Group es una parte vital de su industria.

Il gruppo dell'allumina di Tyco ha un pacchetto delle soluzioni provate del prodotto per l'industria di raffinamento dell'allumina. Vi portiamo i nomi rispettati di Lunkenheimer, di Klein, chiave di volta, di Morin, di Clarkson, di Sapag, di Anderson Greenwood Crosby e di Neotecha con la loro grande base installata per fornire una soluzione per ogni applicazione. La nostra tabella di idoneità mostra che le valvole che

possono essere utilizzate su una varietà di mezzi là è raramente una singola soluzione, poiché la disposizione del tubo e la disponibilità dello spazio possono interessare la scelta e l'uso sempre crescente di automazione attraverso l'intervallo di grandezza intero richiede le soluzioni differenti. I fornitori di Tyco una gamma completa di martinetto idraulico manuale, elettrico, pneumatico ed impacco per la nostra gamma di valvola, che continuiamo a sviluppare per riflettere i requisiti cambianti di sanità e sicurezza; se ci è un'applicazione potete contare su noi per avere la soluzione.

Gruppo dell'allumina di Tyco - una parte vitale della vostra pianta.

Media Product Matrix

Our Media / Product matrix shows alternative valves for the same service. There is seldom a single solution, since pipe layout and space availability can affect the choice and the ever increasing use of automation across the whole size range demands different solutions. The changing economics and safety within alumina refining is driving innovation and new thinking, Tyco Global Alumina reflect this with our range of site tested and proven products and although your parameters may not be exactly those where we have installed product, we are always willing to work with you to obtain the solution.

Service

Mode	Valve Type	Spent liquor	Hot spent liquor	Green (pregnant) liquor	Liquor and cleaning liquor < (300g/l)	Digestion slurry	Mud slurry & sand slurry	Bauxite slurry	Washer overflow (20g/l)	Settler overflow (200g/l)	Flocculant	Leach mix (Sodium Aluminate@35°C)	Spent Liquor and oxalate slurry	Alumina Hydrate fine seed slurry	Powerhouse and water treatment	Process condensate	Steam>450kPa	Low pressure steam	Contaminated vapour return	Lime slurry
On/Off	Keystone F990	●								●			●							
Modulating	Keystone F990	●								●			●							
On/Off	Keystone F2000					●		●												
Modulating	Keystone F2000					●		●												
On/Off	Keystone F618					●		●												
Modulating	Keystone F618					●		●												
On/Off	Keystone K-Lok F360/370-158	●	●	●	●								●			●	●			
Modulating	Keystone K-Lok F360/370-158	●	●	●	●								●		●	●	●			
On/Off	Keystone K-Lok U.H.M.W.P.E. seat										●	●	●							
On/Off	Vanessa triple off-set zero leakage															●				
Modulating	Vanessa triple off-set zero leakage															●				
Modulating	Keystone F634 Teflon-Lined		●																	
Modulating	Keystone F637 Short Body	●							●						●	●	●	●		
Modulating	Keystone F638 SE Extended Body	●				●	●	●		●										
Modulating	Keystone F638 S2 Extended Body					●		●		●									●	
Modulating	Clarkson C Valve					●	●	●												
On/Off	Keystone F955 knife gate					●		●				●				●				
On/Off	Clarkson KGA			●		●	●	●		●			●		●		●	●		
On/Off	Clarkson KGF					●	●	●		●			●		●	●		●		
On/Off	Klein tankbottom	●	●	●	●	●	●	●	●	●		●	●	●	●	●				
On/Off	Klein 'inline' valve	●	●	●	●	●	●	●	●	●	●		●	●	●	●			●	
On/Off	Klein actuated	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●			
On/Off	Klein check	●	●	●	●	●	●	●	●	●	●		●	●	●	●				
On/Off	Lunkenheimer F603 Angle	●	●	●	●	●	●	●	●	●	●		●	●	●	●				
On/Off	Lunkenheimer F604 Bayonet	●	●	●	●	●	●	●	●	●	●		●	●	●	●				
On/Off	Lunkenheimer F605 Combination						●													
On/Off	Lunkenheimer F606 Drain	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●			
On/Off	Lunkenheimer F607 Check	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●			
On/Off	Keystone F628 Tank autogrind		●												●					
On/Off	Keystone F624 Angle autogrind		●															●		

Note: Our matrix is general in nature, for more specific applications please contact your local agent/distributor or the addresses shown on the back page.

A v i t a l p a r t o f A l u m i n a

Rotary & Knife style Valves

Valves for the control and isolation of liquors, light and heavy, throughout the Bayer process. Our installed base and experience over many years of operation and improvement ensures the right valve for every application.



F990 CEE2/CEE4	F2000/F618	Neoteca PTFE Lined Butterfly	K-LOK F360/370-158 Isolation & Control	Vanessa 30000 Series
Size: 25-500mm	Size: 50-500mm	Size: 40-600mm	Size: 50-900mm	Size: 80-3600mm
Pressure: Up to 1000kPa	Pressure: 1400kPa/1800kPa	Pressure: Up to 1000kPa	Pressure: ANSI 150, 300	Pressure: Up to ANSI 900
Temperature: Up to 120°C	Temperature: 120°C	Temperature: Up to 200°C	Temperature: Up to 535°C	Temperature: Up to 815°C
Flanges: ANSI 150 & AS 2129	Flanges: ANSI 150 & AS 2129	Flanges: ANSI, AS 2129	Flanges: ANSI, AS 2129	Flanges: ANSI 150, 300, 600 & 900
Features: <ul style="list-style-type: none">One piece thin stainless steel disc.Compact, light weight wafer style bodyBi-directional bubble tight shut-off.	Features: F2000 <ul style="list-style-type: none">Wafer style body.Bi-directional, bubble tight resilient seated valve.Steel reinforced SBR seat.High strength thru-shaft.Air quenched hardened ductile disc.	Features: <ul style="list-style-type: none">PTFE lined internals.Utilises mechanical stem seal.Wide PTFE sealing face.Suitable for shut-off or control of highly corrosive media.	Features: <ul style="list-style-type: none">Double offset disc-stem for reduced opening /closing torque.Range of interchange seat options.Cast steel body.Nickel edge disc.R.T.F.E. seats.U.H.M.W.P.E. seats.Encapsulated seat design.	Features: <ul style="list-style-type: none">Unique triple offset metal seated valve.Zero leakage.One piece cast body.Stellited seat standard.Full range of actuators available.
Features: F618 <ul style="list-style-type: none">Bi-directional, bubble tight resilient seated valve.Steel wafer body.Higher pressures.Higher temperatures.Hardened steel disc.Duplex stainless shaft.				



F637-032 Hi-Chrome Internals Short Body	F638 026/032 Hi-Chrome Internals Extended Body	F638 S2/SE Extended Body Wing Disc	F955 - Through Conduit Valve	Clarkson Knifegate KGA -KGF
Size: 50-600mm	Size: 40-600mm	Size: 40-200mm	Size: 50-750mm	Size: 80-1350mm
Trim: 28% Chrome Iron	Trim: 026 - Extreme Duty 032 - Heavy Duty	Trim: S2/SE - Severe Duty	Pressure: Up to 1600kPa	Pressure: 2100 kPa - KGF 700 kPa - KGA
Pressure: 1400kPa	Pressure: ANSI 150, 300	Pressure: ANSI 150, 300	Temperature: Up to 120°C	Temperature: Up to 200°C
Temperature: 230°C	Temperature: 230°C	Temperature: 230°C	Flanges: ANSI, AS 2129	Flanges: ANSI 150, 300
Flanges: ANSI 150 FF	Flanges: ANSI FF	Flanges: ANSI FF	Features: <ul style="list-style-type: none">Rugged thru port design.Field replaceable seats.Bi-directional sealing.Extra heavy duty.Tight shut-off.	Features: <ul style="list-style-type: none">KGF FlangedField replaceable seats.Bi-directional sealing.Dual hardness reinforced elastomer seats.Flushing ports.
Features: <ul style="list-style-type: none">Wafer style body.Short body.Bi-directional control valve.Swing through disc with minimum leakage.Multiple Elastomer stem seals.Hard wearing 28% chrome iron (650 Brinell hardness) liner and disc.F634-038 all Teflon coated internals.	Features: <ul style="list-style-type: none">Unique extended body design to ensure that the medium impinges within the valve body not the pipeline.High chrome & tungsten carbide internals.KTFE stem seals for acid & caustic resistance.Wing disc for erosion reduction.High CV.High rangeability.	Features: <ul style="list-style-type: none">Unique extended body design to ensure that the medium impinges within the valve body not the pipeline.High chrome & tungsten carbide internals.KTFE stem seals for acid & caustic resistance.Wing disc for erosion reduction.High CV.High rangeability.	Features: <ul style="list-style-type: none">Suitable for use in wet or dry service.Field replaceable seats.Heavy duty.Tight shut-off.Full ported flow.	Features: <ul style="list-style-type: none">KGA FlangedField replaceable seats.Bi-directional sealing.Dual hardness reinforced elastomer seats.Flushing ports.

Globe Angle & In-line Valves

Heavy duty globe, angle and in-line style isolation valves for the heaviest bauxite and hydrate slurries. Actuated solutions for all plant conditions make us your first choice.



Klein Inline 'Y' type Valve	Klein Tank Bottom Valves	Klein Actuated Valves	Klein Lunkenheimer Check Valves	F603 Lunkenheimer Angle Valve
Size: 50-800mm	Size: 50-800mm	Size: Across the whole range	Size: 50-600mm	Size: 50-900mm
Pressure: ANSI 150, 400, 300, 600 & 900	Pressure: ANSI 150, 300, 400 & 600	Pressure: ANSI 150 to 900	Pressure: ANSI 150, 300 & 600	Pressure: ANSI 150, 300 & 600
Temperature: -29°C to 455°C	Temperature: - 29°C to 455°C	Temperature: - 29°C to 455°C	Temperature: - 29°C to 455°C	Temperature: -29°C to 455°C
Flanges ANSI 150, 300, 400, 600, 900	Flanges ANSI 150, 300, 400, 600	Flanges As per manual types	Flanges As per manual types	Flanges ANSI 150, 300, 600
Features: <ul style="list-style-type: none">• Split or monobloc body.• Venturi design body on LP. Full bore on HP.• Installation on pipe or on tank.• Over spec wall thickness.• Large range of actuators.• Proven design.• PED approved.	Features: <ul style="list-style-type: none">• 'Easygrind' manual.• Electric.• Pneumatic.• Hydraulic.• Combination.• Special applications.	Features: <ul style="list-style-type: none">• Bottled cap angle piston type.• Monobloc 'Y' type spring assist.• Over spec wall thickness.• Large range of actuators.• Proven design.• PED approved.	Features: <ul style="list-style-type: none">• Regrindable seat.• Over spec wall thickness.• Large range of actuators.• Proven design.• PED approved.	Features: <ul style="list-style-type: none">• Regrindable seat.• Over spec wall thickness.• Large range of actuators.• Proven design.• PED approved.



F604 Lunkenheimer Bayonet Valve	F605 Lunkenheimer Combination Valve	F606 Lunkenheimer Drain Valve	F624 Hydraulic Angle Valve	F628 Tank Valve
Size: 50-900mm	Size: 50-900mm	Size: 50-150mm	Size: 200-600mm	Size: 200-500mm
Pressure: ANSI 150, 300, 600	Pressure: ANSI 150, 300, 600	Pressure: ANSI 150, 300, 600	Pressure: ANSI 150	Pressure: 1200kPa
Temperature: -29°C to 455°C	Temperature: - 29°C to 455°C	Temperature: -29°C to 455°C	Temperature: 230°C	Temperature: 230°C
Flanges ANSI 150, 300, 600	Flanges ANSI 150, 300, 600	Flanges ANSI 150, 300, 600	Flanges: ANSI 150	Flanges: ANSI 150
Features: <ul style="list-style-type: none">• Compact one piece design.• Regrindable seat.• Over spec wall thickness.• Large range of actuators.• Proven design.• PED approved.	Features: <ul style="list-style-type: none">• Compact one piece design.• Regrindable seat.• Over spec wall thickness.• Large range of actuators.• Proven design.• PED approved.	Features: <ul style="list-style-type: none">• Compact one piece design.• Regrindable seat.• Over spec wall thickness.• Large range of actuators.• Proven design.• PED approved.	Features: <ul style="list-style-type: none">• Hydraulically operated.• Offers opening, closing and seal grinding in a single operation.• Dual plug cutting action.• Fully retractable cutter.• Remote and automatic control available.	Features: <ul style="list-style-type: none">• Hydraulic powered self grinding valve.• Automatic scale removal on opening and closing.• Cuts and grinds on seating.

A v i t a l p a r t o f A l u m i n a

Pressure Relief & Boiler Control Valves



Boiler Safety Valves

Size:
12mm to 750mm

Pressure:
ANSI 150 to ANSI 4500

Types:
Spring, Pilot and Power
Operated

Brands:
Anderson Greenwood,
Crosby, Sapag.

Steam Isolation Valves

Size:
10mm to 3600mm

Pressure:
ANSI 150 to ANSI 4500

Types:
Wedge Gate, Parallel Slide,
Globe, 1/4 turn

Brands:
Dewrance, Fasani, Raimondi,
Sempell, Vanessa.

Pilot Operated Relief Valves

Size:
12mm to 500mm

Pressure:
ANSI 150 to ANSI 2500

Types:
Pilot Operated

Brands:
Anderson Greenwood,
Crosby.

Pressure Relief Valves

Size:
12mm to 500mm

Pressure:
ANSI 150 to ANSI 2500

Types:
Spring, Weight and Power
Operated

Brands:
Anderson Greenwood,
Crosby, Kunkle, Sapag.

Desuperheaters

Size:
40mm to 100mm

Pressure:
ANSI 150 to ANSI 4500

Types:
Multiple Nozzle Control

Brands:
Yarway, Narvik.

Boiler Level Indicators

Pressure:
Up to 3000 psig

Types:
Mechanical, Magnetic,
Ultrasound, Electric

Brands:
Yarway, Penberthy.

Pump Protection

Size:
12mm to 300mm

Pressure:
ANSI 300 to ANSI 4500

Types:
Automatic recirculation valve
with check by-pass

Brands:
Yarway.

Blow-Off/Blowdown Valves

Size:
6mm to 150mm

Pressure:
ANSI 150 to ANSI 2700

Types:
Needle, V-Port, Globe,
Seatless

Brands:
Yarway, Hancock, Sempell.